


**HERCULES 3530
RUGGED STEEL WIRE
RFID SEAL TAG
35 x 30 x 11 mm
HF/NFC or LF or UHF**

Product:	HERCULES 3530 Rugged Various Frequency NFC/RFID SEAL TAG	
RFID Chips Options:	HF/NFC: NXP ISO15693: I-Code SLIX, ISO14443A: NTAG 213/216, Mifare S50 EV1 LF: EM4200, Hitag S256 / S2048, ATA5577 UHF: ISO18000-6: ALIEN HIGGS 3, IMPINJ Monza 4 (other on request)	
Read Range:	HF/NFC/LF: 30 mm UHF: 350 mm	(Depends on RFID IC type and reader power)
Frequencies:	HF/NFC: 13,56 MHz LF: 125 kHz UHF: 860 MHz ... 960 MHz	(At room temperature 20°C)
Dimensions / Weight:	30 x 35 x 11 mm, Wire: 280 x Ø 1.5 mm	25 g
Material / Colour:	ABS, Stainless Steel	Blue, Green, Red, White, Yellow (other colours on request)
Protection Class:	IP68	
Minimum Order Quantity:	1000 pieces	Minimum Production Lot: 1000 pcs
Operating Temperature:	-20°C ...+ 80°C	
Storage Temperatures:	-20°C...+ 85°C	
Certification / Other:	CE	RoHS ✓
Part Description:	3530-STST-XX-HF-xxxxx 3530-STST-XX-LF-xxxxx 3530-STST-XX-UHF-xxxxx	XX = Colour xxxxx = Chip

arfidex GmbH | Adlerstraße 2 | D-63322 Rödermark | Germany | Phone: +49 (0) 6074 861930

www.arfidex.de | info@arfidex.de

© arfidex makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does arfidex assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by arfidex have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by arfidex. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by arfidex hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. arfidex does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to arfidex, and arfidex reserves the right to make any changes to the information in this document or to any products and services at any time without notice.



HERCULES 3530
RUGGED STEEL WIRE
RFID SEAL TAG
35 x 30 x 11 mm
HF/NFC or LF or UHF


Options:

- Other colour version available (Blue, Green, Red, White, Yellow)
- Different Frequency Versions (HF, NFC, UHF) country/region versions on request
- Customised laser printing
- QR Code printing
- Serial Number and Logo printing
- UID Number printing

This NFC/RFID SEAL transponder is used by system integrators or endusers to identify all kind of equipment in industrial environment.

Applications:

- Container Seal
- Gas Meter Seal
- Industrial ID
- Lock Seal
- Maintenance and Service
- POS Terminal Seal
- Power Meter
- Truck Door Seal
- Water Meter



arfidex GmbH | Adlerstraße 2 | D-63322 Rödermark | Germany | Phone: +49 (0) 6074 861930

www.arfidex.de | info@arfidex.de

© arfidex makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does arfidex assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by arfidex have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by arfidex. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by arfidex hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. arfidex does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to arfidex, and arfidex reserves the right to make any changes to the information in this document or to any products and services at any time without notice.